



HP LaserJet Enterprise 700 MFP M725 series

Ideal for large workgroups who need a high-performance, reliable MFP that prints on a range of paper sizes up to A3, and helps speed work with robust scanning capabilities, a convenient colour touchscreen and powerful manageability features.



HP LaserJet Enterprise 700 MFP M725dn



HP LaserJet Enterprise 700 MFP M725f



HP LaserJet Enterprise 700 MFP M725z



HP LaserJet Enterprise 700 MFP M725z+

Empower teams to do more – print, scan, copy and fax¹ on paper sizes up to A3 – from a desktop MFP

- Stay focused on work – paper capacity up to 4,600 sheets and high-capacity cartridges limit interruptions.²
- Get impressive document quality with near edge-to-edge printing and a convenient, built-in stapler.⁴
- Print what you need, even on the go – from your smartphone or tablet – using HP ePrint⁵ or Apple AirPrint™.⁶

Quicken your business pace.

- Set a swift pace – use this powerful MFP to keep your work moving. Save time and make your job easier, using HP Quick Sets.
- Efficiently capture the right content: automatically remove blank pages, preview, edit and control jobs on the large colour touchscreen.
- Incorporate paper documents into digital workflows – easily send scans to fax³, email, network folders or USB. Print right from a memory device via the USB port.

Simplify fleet management and safeguard devices using world-class tools.⁷

- Monitor your devices with industry-leading tools, including HP Web Jetadmin.⁷ Help protect data both in transit and at rest.
- Enhance security with PIN printing. Add safeguards via the hardware integration pocket. Integrate tomorrow's solutions with ease.
- Add security tools – such as card and badge readers – via the hardware integration pocket.⁸

Reduce energy use with HP Auto-On/Auto-Off Technology⁹ and HP Instant-on Technology.¹⁰

- Help conserve resources and meet corporate environmental goals. HP Auto-On/Auto-Off Technology helps reduce energy use.⁹
- Easily manage your printers with HP EcoSMART Fleet. Create and manage environmental printing policies and practices.¹¹
- Save paper and cut costs, using automatic two-sided printing.
- Easily recycle Original HP LaserJet toner cartridges through HP Planet Partners.¹²

¹ Maximum paper capacity of 4,600 sheets; requires the purchase of optional paper tray accessories.

² High-capacity cartridges are optional for the HP LaserJet Enterprise 700 MFP Series M725.

³ Fax capabilities are available with an optional fax card on the HP LaserJet Enterprise MFP M725dn.

⁴ In-line stapler is not available on the HP LaserJet Enterprise MFP M725dn or M725f.

⁵ Requires an Internet connection to HP web-enabled printer and HP ePrint account registration (for a list of eligible printers, supported documents and image types and other HP ePrint details, see www.hpconnected.com). Mobile devices require Internet connection and email capability. May require wireless access point. Separately purchased data plans or usage fees may apply. Print times and connection speeds may vary. Some HP LaserJet printers may require firmware upgrades.

⁶ Supports the following devices running iOS 4.2 or later: iPad®, iPad® 2, iPhone® (3GS or later) or iPod touch® (3rd generation or later). Works with HP's AirPrint-enabled printers and requires the printer be connected to the same network as your iOS device. Wireless performance is dependent upon physical environment and distance from the access point. AirPrint, the AirPrint Logo, iPad, iPhone and iPod touch are trademarks of Apple® Inc., registered in the U.S. and other countries.

⁷ HP Web Jetadmin is free and can be downloaded at www.hp.com/go/webjetadmin.

⁸ Solutions deployed through the hardware integration pocket may require additional purchase.

⁹ HP Auto-On/Auto-Off Technology capabilities subject to printer, and settings; may require a firmware upgrade.

¹⁰ Compared with products that use traditional fusing.

¹¹ HP EcoSMART Fleet must be purchased separately.

¹² Programme availability varies. Original HP cartridge return and recycling is currently available in more than 50 countries, territories and regions in Asia, Europe, and North and South America through the HP Planet Partners programme. For more information, visit: www.hp.com/recycle.



Product walkaround

HP LaserJet Enterprise 700 MFP M725z+:

1. 100-sheet automatic document feeder
2. Intuitive 20.3 cm (8-inch) pivoting light touch SVGA colour control panel with FutureSmart firmware and scan preview
3. Hardware integration pocket for solution integration
4. Easy-access USB port to save and print files directly
5. In-line stapler/stacker for stapling up to 30-pages and a 500-sheet output tray
6. Standard 250-sheet stacker output bin
7. Front door allows convenient access to print cartridge
8. Built-in automatic two-sided printing
9. 2 x 250-sheet input tray 2 and tray 3
10. 3,500-sheet high-capacity feeder with cabinet for a 4,100-sheet total input capacity
11. 100-sheet multipurpose tray 1 handles up to 100 pages
12. Fax port
13. 800 MHz processor, 1 GB standard memory (Expandable to 1,5 GB)
14. HP High Performance Encrypted Hard Drive
15. Hi-Speed USB 2.0 printing port
16. HP Jetdirect Gigabit Ethernet print server



Series at a glance



HP LaserJet Enterprise 700 MFP M725dn

- Print, copy, scan, digital send
- print/copy speed of up to 41 ppm
- up to 1200 x 1200 dpi
- 1024 MB RAM
- 800 MHz processor
- 1 HP High Performance Secure Hard Disk
- 1 Hi-Speed USB 2.0 Host
- 1 Hi-Speed USB 2.0 Device
- 2 Internal USB 2.0 Host
- 1 Gigabit Ethernet 10/100/1000Base-T
- 1 Foreign Interface (FIH)
- 1 Hardware Integration Pocket
- 100-sheet multipurpose tray
- 2 x 250-sheet input trays
- 250-page output tray
- 100-sheet Automatic Document Feeder (ADF)



HP LaserJet Enterprise 700 MFP M725f

- As HP LaserJet Enterprise MFP M725dn, with built-in fax
- 1 x 500-sheet tray
- 1 x 500-sheet feeder, cabinet and stand.



HP LaserJet Enterprise 700 MFP M725z

- As HP LaserJet Enterprise MFP M725dn, with built-in fax
- 500-sheet inline stapler/stacker
- 3 x 500-sheet paper feeder and stand.



HP LaserJet Enterprise 700 MFP M725z+

- As HP LaserJet Enterprise MFP M725dn, with built-in fax
- 500-sheet inline stapler/stacker
- 3500-sheet feeder and stand.

Recommended accessories



CF239A
HP LaserJet 500-sheet Feeder and Tray
Support the productivity of growing work groups with simple, robust paper input accessories that enable media versatility, from A5, A4, legal and up to A3, and allow longer printing without reloading paper.



CF243A
HP LaserJet 1x500-sheet Feeder with Cabinet and Stand
Support the productivity of growing work groups with simple, robust paper input accessories that enable media versatility, from A5, A4, legal and up to A3, and allow longer printing without reloading paper.



CF242A
HP LaserJet 3x500-sheet Feeder and Stand
HP LaserJet 3x500-sheet Paper Trays mean you spend less time loading paper and more time printing. Meet the printing needs of a high-volume printing environment with the 3x500-sheet paper feeder and stand.



CF245A
HP LaserJet 3500-sheet High-capacity Input Tray Feeder and Stand
Support the productivity of growing work groups with this high-performance, robust input feeder and stand. The additional 3,500-sheet paper capacity allows users to spend more time focusing on business and less time reloading paper.



C8091A
HP Staple Cartridge Refill
HP Staple Cartridge Refills give you more for your money and ensure you don't have to worry about frequent cartridge replacement. Each refill contains 5000 staples.



CC487A
HP LaserJet MFP Analog Fax Accessory 500
Improve workteam productivity and make information sharing more efficient. Simply add embedded analog fax functionality to your HP LaserJet MFP¹ to send and receive documents quickly, easily and securely.

Ordering information



HP LaserJet Enterprise 700 MFP M725dn (CF066A)
HP LaserJet Enterprise MFP M725dn; HP Black LaserJet Toner Cartridge (~10,000 pages); Printer documentation and software on CD-ROM; Installation guide, Support flyer, Warranty card; Power cord; 2x250-sheet trays.



HP LaserJet Enterprise 700 MFP M725f (CF067A)
HP LaserJet Enterprise MFP M725f; HP Black LaserJet Toner Cartridge (~10,000 pages); Printer documentation and software on CD-ROM; Installation guide, Support flyer, Warranty card; Power cord; Fax cable; 2x250-sheet trays; 1x500 sheet feeder; cabinet and stand; Built-in fax.



HP LaserJet Enterprise 700 MFP M725z (CF068A)
HP LaserJet Enterprise MFP M725z; HP Black LaserJet Toner Cartridge (~10,000 pages); Printer documentation and software on CD-ROM; Installation guide, Support flyer, Warranty card; Power cord; Fax cable; 2x250-sheet trays; 3x500-sheet Paper feeder and stand; 500-sheet inline Stapler/Stacker; Built-in fax.



HP LaserJet Enterprise 700 MFP M725z+ (CF069A)
HP LaserJet Enterprise MFP M725z+; HP Black LaserJet Toner Cartridge (~10,000 pages); Printer documentation and software on CD-ROM; Installation guide, Support flyer, Warranty card; Power cord; Fax cable; 2x250-sheet trays; 1 x 3500-sheet Feeder and Stand; 500-sheet inline Stapler/Stacker; Built-in fax.

Accessories, Supplies and Support

Accessories

| | |
|---------------|--|
| CF239A | HP LaserJet 500-sheet Feeder and Tray |
| CF243A | HP LaserJet 1x500-sheet Feeder with Cabinet and Stand |
| CF242A | HP LaserJet 3x500-sheet Feeder and Stand |
| CF245A | HP LaserJet 3500-sheet High-capacity Input Tray Feeder and Stand |
| C8091A | HP Staple Cartridge Refill |
| CC487A | HP LaserJet MFP Analog Fax Accessory 500 |
| L2718A | HP 100 ADF Roller Replacement Kit |

Connectivity

| | |
|---------------|---|
| J8021A | HP Jetdirect ew2500 802.11b/g Wireless Print Server |
| J8026A | HP Jetdirect 2700w USB Wireless Print Server |

Supplies

| | |
|---------------|--|
| CF214A | HP 14A Black LaserJet Toner Cartridge Average cartridge yields 10,000 standard pages. Declared yield based on ISO/IEC 19752 and continuous printing. |
| CF214X | HP 14X Black LaserJet Toner Cartridge Average cartridge yields 17,500 standard pages. Declared yield based on ISO/IEC 19752 and continuous printing. |
| CF254A | HP LaserJet CF254A 220V Maintenance/Fuser Kit 200,000 pages |

Service & support

| | |
|----------------|--|
| U7A05E | HP 3 year Next Business Day LaserJet M725 MFP Hardware Support |
| U7A06E | HP 4 year Next Business Day LaserJet M725 MFP Hardware Support |
| U7A07E | HP 5 year Next Business Day LaserJet M725 MFP Hardware Support |
| U7A09E | HP 3 year 4 hour 13x5 LaserJet M725 MFP Hardware Support |
| U7Y72PE | HP 1 year Post Warranty Next Business Day LaserJet M725 MFP Hardware Support |
| U7Y73PE | HP 2 year Post Warranty Next Business Day LaserJet M725 MFP Hardware Support |
| U7Y75PE | HP 1 year Post Warranty 4 hour 13x5 LaserJet M725 MFP Hardware Support |

For a complete list of supplies, accessories and services, please refer to <http://www.hp.com>
For workflow, device management and other solutions, please visit the Global Solutions catalog: www.hp.com/go/gsc

Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit hp.com/go/learnaboutsupplies.

Count on dependable support to create the best image possible. We can help you enhance your printing and imaging environment, protect your IT investment, and grow your business—with expert support that's affordable, personal, and tailored to your needs through HP Care Pack Services.

Technical specifications

| | | | |
|--|--|---|---|
| Print technology | Laser | | |
| Print speed | First page out: black: As fast as 10 sec A4 black: Up to 41 ppm Exact speed varies depending on the system configuration, software application, driver and document complexity. Measured using ISO/IEC 24734, excludes first set of test documents. For more information see hp.com/go/printerclaims . Exact speed varies depending on the system configuration, software application, driver, and document complexity. | | |
| Processor | 800 MHz | | |
| Memory | 1 GB. Expandable to 1.5 GB through 512 MB industry-standard DIMM | | |
| Hard disk | Standard, embedded HP High-Performance Secure Hard Disk, minimum 320 GB; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk) | | |
| Print | Quality Resolution Printer languages Typefaces/fonts Duty cycle (monthly, A4) Recommended monthly page volume Print margins (mm) Maximum print area | HP ProRes 1200 (1200 x 1200 dpi), HP FastRes 1200 (1200 dpi quality), HP Resolution Enhancement technology, 600 x 600 dpi, 300 x 300 dpi Black: Up to 1200 x 1200 dpi HP PCL 6; HP PCL 5e; HP Postscript Level 3 emulation; PDF 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts Up to 200,000 pages 5000 to 20,000 Top: 2 mm. Left: 2 mm. Right: 2 mm. Bottom: 2 mm 308 x 465.9 mm | |
| Fax | M725dn : Optional, M725f : Yes, M725z : Yes, M725z+ : Yes; Modem speed Telecom compliance Fax memory Fax resolution Quick dialing | 33.6 kbps Fax Telecom: ES 203 021; R&TTE Directive 1999/5/EC (Annex II) with CE Marking (Europe); FCC Part 68; other Telecom approvals as required by individual countries Up to 100 pages Standard: 204 x 98 dpi. Fine: 204 x 196 dpi, 256 levels of grey. Superfine: 300 x 300 dpi, 256 levels of grey. Photo: 300 x 300 dpi (400 x 400 dpi for received faxes only) Up to 100 numbers (each can contain 100 numbers) | |
| Digital sending | File formats Features | Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht) Standard: Scan to E-mail; Save to Network Folder; Save to USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL. Optional: Address Book | |
| Scan | Scan Speed (A4) Scan Speed Duplex (A4) Type Scan resolution Bit depth Grey scale levels Scannable area | Up to 50 ppm (black and white), up to 30 ppm (colour) Up to 19 ipm (black and white), up to 14 ipm (colour) Flatbed, ADF. Colour scanning: Yes Optical: Up to 600 dpi 24-bit 256 Maximum media size: 297 x 420 mm | |
| Copy | Copy speed Copy resolution Multiple copies Reduce/enlarge | A4 black: Up to 41 cpm 600 x 600 dpi Up to 9999 copies 25 to 400% | |
| Media handling | Input: Tray 1 Tray 2 Tray 3 ADF Output: Duplex printing: Automatic (standard) | Capacity sheets: 100; envelopes: 10; labels: 100; transparencies: 100; postcards: 10 sheets: 250 sheets: 100 Envelopes: Up to 50 envelopes | Weight 60 to 199 g/m ² 60 to 120 g/m ² 60 to 120 g/m ² 45 to 199 g/m ² |
| Media types | Paper (colour, letterhead, light, plain, preprinted, prepunched, recycled, rough, tough paper), bond, cardstock, envelope, labels, transparency, vellum | | |
| Interface and connectivity | Standard: 2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface; 1 Hardware Integration Pocket; 2 Internal USB Host Optional: HP Jetdirect ew2500 802.11b/g Wireless Print Server J8021A; HP Jetdirect 2700w USB Wireless Print Server J8026A | | |
| Operating systems compatibility | Windows 8, Windows 7, Windows Vista, Windows XP (SP2+), Windows Server 2003 (SP1+), Windows Server 2008 (32/64-bit), Windows Server 2008 R2 (64-bit), Windows Server 2012 (64-bit); Mac OS X v10.6, OS X Lion, OS X Mountain Lion; For the latest operating system support see: Citrix® and Windows Terminal Services (hp.com/go/upd); Novell® (novell.com/iprint); Linux (hplip.net); UNIX® (hp.com/go/unix , hp.com/go/unixmodelscripts , hp.com/go/jetdirectunix_software); SAP device types (hp.com/go/sap/drivers , hp.com/go/sap/print); HP ePrint Mobile Driver (hp.com/go/eprintmobiledriver). Recent printer drivers for all supported operating systems are available at hp.com/go/ljmfpm725_software | | |
| Minimum system requirements | Windows 8, Windows 7, Windows Vista, Windows XP (SP2+), Windows Server 2003 (SP1+), Windows Server 2008, Windows Server 2008 R2, Windows Server 2012 (64-bit); 200 MB available hard disk space; operating system compatible hardware system requirements, see microsoft.com . Mac OS X 10.6, OS X Lion, OS X Mountain Lion; 1 GB available hard disk space; operating system compatible hardware system requirements, CD-ROM/DVD-ROM or Internet, see apple.com | | |
| Standard software | Windows Installer, HP PCL 6 discrete driver, Mac Software Link to Web (Postscript emulation driver & Installer on Web), Note: No Mac Software inbox | | |
| Control panel | 20.3 cm touchscreen, LCD (colour graphics); rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket | | |
| Power | Requirements: Input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz). Consumption: 890 watts (active print/copy), 39 watts (ready), 6.5 watts (sleep), 0.3 watts (off). Typical Electricity Consumption (TEC): 4.39 kWh/Week. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages; this will damage the printer and void the product warranty. Values subject to change, see hp.com/support for current information. | | |
| Dimensions (w x d x h) | Out of package: M725dn : 614 x 649 x 609 mm; M725f : 745 x 681 x 1160 mm; M725z : 745 x 681 x 1192 mm; M725z+ : 745 x 681 x 1192 mm; Packaged: M725dn : 760 x 745 x 832 mm; M725f : 856 x 760 x 1522 mm; M725z : 856 x 760 x 1553 mm; M725z+ : 856 x 760 x 1553 mm; | | |
| Weight | Out of package: M725dn : 54.1 kg; M725f : 87.1 kg; M725z : 92.35 kg; M725z+ : 102.42 kg; Packaged: M725dn : 68.6 kg; M725f : 105.4 kg; M725z : 113 kg; M725z+ : 122 kg; | | |
| Printer management | HP Web Jetadmin, HP Utility (Mac) | | |
| Security management | Management security: SNMPv3, SSL/TLS, 802.1X authentication (EAP-PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in | | |
| Operating environment | Operating temperature: 10 to 32.5°C. Recommended operating temperature: 10 to 32.5°C. Operating humidity: 20 to 80% RH. Operating humidity recommended: 30 to 70% RH. Storage temperature: 0 to 60°C. Storage humidity: 10 to 90% RH | | |
| Acoustics | Acoustic Power Emissions: 6.8 B(A) Acoustic Pressure Emissions: 54 dB(A) | | |
| Certifications | CISPR 22:2008 / EN 55022:2010 (Class A); EN 61000-3-2:2006 +A1:2009 +A2:2009; EN 61000-3-3:2008; EN 55024:1998+A1+A2; EMC Directive 2004/108/EC with CE Marking (Europe); other EMC approvals as required by individual countries. Regulatory standards: IEC 60950-1:2005 +A1, EN60950-1:2006 +A1:2009 +A1:2010 +A1:2011; IEC 60825-1:2007 (Class 1 Laser/Led Product); EN 60825-1:2007 (Class 1 Laser/Led Product); GS Certificate (Germany, Europe); IEC 62479:2010; EN 62479:2010; Low Voltage Directive 2006/95/EC with CE Marking (Europe); other safety approvals as required by individual countries. ENERGY STAR: Yes | | |
| Warranty | One-year, on-site limited warranty. Warranty and support options vary by product, country and local legal requirements. | | |

<http://www.hp.com/uk>

© Copyright 2013 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors, or omissions contained herein.

Published in EMEA 04/13 4AAA-5715EEE

