i-SENSYS MF628Cw MF623Cn

Intuitive, compact A4 colour multifunctionals ideal for small businesses and individual users.

These smart desktop A4 laser multifunctionals make it refreshingly easy to print, scan and share documents from anywhere, whether you're working from your PC, smartphone or tablet.

- High-quality A4 multifunctionals offering print, copy, scan and fax*
- Productive full-colour printing at 14 ppm
- Easy operation using the intuitive colour touch screen
- Consistent reliability and quality via Canon All-in-One replacement cartridges
- Seamless support for mobile working from your laptop, smartphone or tablet
- Compatible with Apple[®] AirPrint[™], Mopria and Google Cloud Print

- Powerful scanning to capture, share and archive paper documents
- Cloud connectivity makes it easy to access and share documents on the go
- Low energy consumption
- Ethernet and Wi-Fi* for a flexible choice of connectivity and networking





Technical Specifications

i-SENSYS, MF628Cw MF623Cn

33.6 Kbps (Up to 3 seconds / page²)

Max. 199 dials / Max. 199 destinations

Standard: 200 x 100 dpi Fine: 200 x 200 dpi Photo: 200 x 200 dpi Super fine: 200 x 400 dpi Ultra fine: 400 x 400 dpi

Up to 512 pages²

Max. 310 destinations

Yes (Transmit and Receive)

Up to 281 dials

Fax only, Fax / Tel Auto Switch, Answer Mode, Manual

Machine type PRINTER

Print speed Printing method Print quality Print resolution

First Print Out Time Printer languages Print margins

Toner saver mode Advanced printing features

COPIER Copy speed

First Copy Output Time (FCOT)

Copy resolution Copy modes

Multiple copy **Reduction / Enlargement** Other features

SCANNER

Туре Scan resolution

Scan speed

Colour scanning depth Greyscales Compatibility Max. scan width Scan to E-mail Scan to PC Scan to USB memory key Scan to FTP Scan to Cloud iFAX

Colour Laser All-In-One

Up to 14 ppm colour and mono (A4) Colour laser beam printing Up to 1200 dpi x 1200 dpi iqb 000 x iqb 000 Colour aprox: 18 seconds or less Mono aprox: 18 seconds or less UFRII-LT 5 mm-top, bottom, left and right 10 mm-top, bottom, left and right (Envelope)

Voc Print from USB memory key (JPEG / TIFF) Google Cloud Print Ready iOS: AirPrint, Canon PRINT Business app Android; Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app

Up to 14 cpm colour and mono (A4)

Colour Approx. 19 seconds or less Mono Approx. 19 seconds or less Up to 600 dpi x 600 dpi Text / Photo / Map (Default),Text / Photo / Map (guality), Printed Image, Text Up to 99 copies 25-400% in 1% increments Frame Erase, Collate, 2 on 1, 4 on 1, ID card copy

Colour Optical: Up to 600 dpi x 600 dpi Enhanced: Up to 9600 dpi x 9600 dpi Mono: 14ipm (300 dpi x600dpi), Colour: 14ipm (300x300dpi) 24 bit / 24 bit (input / output) 256 levels TWAIN, WIA 216 mm TIFF / JPEG / PDF / Compact PDF / Searchable PDF TIFF / JPEG / PDF / Compact PDF / Searchable PDF TIEE / IPEG / PDE / Compact PDE / Searchable PDE TIFF / JPEG / PDF / Compact PDF / Searchable PDF TIFE / IPEG / PDE / PNG¹ ITU-T.37

FAX (MF628Cw ONLY) Modem speed Receive mode Fax resolution

FAX memory Speed dials Group dials/destinations Sequential broadcast Memory backup Double sided faxing Other features

MEDIA HANDLING Scanner type

Paper input (Standard)

Paper output Media types

Media sizes

Flatbed and Automatic Document Feeder (SADF) 150-sheet cassette 1-sheet manual feed slot 50-sheet ADF 125-sheet Plain paper, Recycled paper, Heavy Paper, Transparency, Coated Paper, Label, Index card, Envelope

Cassette A4, A5, B5, Legal, Letter, Executive, Statement, Postcard Foolscap, Envelope (COM10, Monarch, DL, ISO-C5, ISO-B5), Custom sizes: Min. 83 x 127 mm to Max. 215.9 x 355.6 mm

Permanent fax memory backup (Backup with flash memory)

Fax Forwarding, Dual Access, Remote Reception, PC Fax (TX only) DRPD, ECM, Auto Redial, Fax Activity Reports, Fax Activity Result Reports, Fax Activity Management Reports

Manual feed slot: A4, A5, B5, Legal, Letter, Executive, Statement, Postcard, Foolscap, IndexCard, Envelope (COM10, Monarch, DL, ISO-C5, ISO-B5), Custom sizes: Min. 83 x 127 mm to Max. 215.9 x 355.6 mm

ADE A4, A5, B5, B6, Legal, Letter, Statement, Custom sizes (W x L): Min. 128 mm x 139.7 mm Max. 215.9 mm x 355.6 mm Cassette: 60 to 163 g/m²

Multi-purpose tray: 60 to 220 g/m² ADF: 50 to 105 g/m²

Operating System compatibility

USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX, Wireless 802.11b/g/n (MF628Cw), Wireless Direct Connection (MF628Cw)

Windows* 10 / Windows* 8.1 / Windows* 8 / Windows* 7 / Server* 2012R2¹ / Server* 2012² / Server* 2008R2¹ / Server* 2008² / Server* 2003³ / Vista Mac OS X version 10.5.8 & up Linux



INTERFACE & SOFTWARE Interface type

Media weights

Technical Specifications

i-SENSYS MF628Cw MF623Cn

Network Protocol	Print: LPD, RAW, WSD-Print (IPv4 , IPv6)	Noise Levels	Sound Pressure ⁷ : Active: 48 dB
	Scan:		Standby: Inaudible
	WSD-Scan(IPv4, IPv6)		
	TCP/IP Application Services: Bonjour(mDNS), HTTP, HTTPS,		Sound Power ⁷ : Active: 65.2dB or less (Colour printing) / 63.9dB or less (BW
	DHCP, BOOTP, RARP, ARP+PING, Auto IP, WINS (IPv4)		printing)
	DHCPv6 (IPv6)		Standby: 43dB or less
	Management: SNMPv1, SNMPv3 (IPv4,IPv6)		
	Security:	CONSUMABLES	
	IEEE802.1X, SNMPv3, HTTPS, IPSEC	Cartridges	Cartridge 731 Black (1,400 pages ⁸) ⁹
Software and printer	Presto! Page Manager,		Cartridge 731H Black (2,400 pages ⁸) ⁹
management	MF Scan Utility,		Cartridge 731 Cyan (1,500 pages ⁸) ⁹ Cartridge 731 Magenta (1,500 pages ⁸) ⁹
	Remote User Interface (RUI), SSID Tool.		Cartridge 731 Yellow (1,500 pages ⁸) ⁹
	Department ID Management,		
	Toner Status Tool,	ACCESSORIES/ OPTIONS	
	iW Management Console: Server-based software for centralised management of a fleet of devices	Items	TEL 6 KIT LONG CORD - Telephone handset (MF628Cw only)
	eMaintenance: embedded RDS allows remote eMaintenance		
	services such as meter capture, automatic consumables		
	management and remote diagnostics.	Footnotes	
		⁽¹⁾ Scan by MF Scan Utility or Canon PRINT Business	
GENERAL FEATURES		⁽²⁾ Based on ITU-T Standard Chart No. 1	
Recommended Monthly Print Volume	250 - 1,500 pages per month	⁽³⁾ Network scanning not supported	
		^[4] Web distribution only. Linux support printing only. ^[5] Duty cycle is defined as the maximum number of printed pages for a single peak month. Any	
Duty cycle	Max. 30,000 pages per month⁵	usage above the recommended duty cycle may decrease the life of the product	
Warm-up Time	Approx 23 seconds from power on	^[6] 2 W when in wireless mode (MF628Cw)	
Memory	512 MB	^[7] Declared noise emission in accordance with ISO 9296	
Control panel	8.9 cm LCD Colour Touch Screen	^[8] Based on ISO / IEC 19798	
Dimensions with trays	430 mm x 484 mm x 429 mm	^[9] Printer ships with 800 pages CMYK (Cyan, Magenta, Yellow and Black) starter cartridges	
(W x D x H)			
Installation space	674 mm x 1,229 mm x 801 mm		
(W x D x H)			
Weight	Approx. 26 Kg		
Operating environment	Temperature: 10 to 30°C (50 to 86°F) Humidity: 20 to 80% RH (no condensation)		
Power Source	220-240V(±10%) 50 / 60Hz (±2Hz)		
Power Consumption	Maximum: Approx. 900 W		
	Standby: Approx. 20 W		
	Sleep mode: Approx. 1.0 W ⁶ Power switch off: 0.5w or less		
	Typical Electricity Consumption (TEC): 0.4 kWh/week (230V)		
	Idle time required to enter sleep mode: 20-60 min		
	(default: 20 min)		
	Idle time required to enter Auto Shutdown: 4 hours (default)		
	•		

